

Note:

1. $\gcd(a, b)$ denotes the greatest common divisor of integers a and b .
2. $\lfloor x \rfloor$ denotes the largest integer less than or equal to x .
3. For a positive real number m , \sqrt{m} denotes the positive square root of m . For example, $\sqrt{4} = +2$.
4. Unless otherwise stated all numbers are written in decimal notation.

Questions

1. The smallest positive integer that does not divide $1 \times 2 \times 3 \times 4 \times 5 \times 6 \times 7 \times 8 \times 9$ is:
2. The number of four-digit odd numbers having digits 1, 2, 3, 4, each occurring exactly once, is:
3. The number obtained by taking the last two digits of 5^{2024} in the same order is:
4. Let $ABCD$ be a quadrilateral with $\angle ADC = 70^\circ$, $\angle ACD = 70^\circ$, $\angle ACB = 10^\circ$ and $\angle BAD = 110^\circ$. The measure of $\angle CAB$ (in degrees) is:
5. Let $a = \frac{x}{y} + \frac{y}{z} + \frac{z}{x}$, let $b = \frac{x}{z} + \frac{y}{x} + \frac{z}{y}$ and let $c = \frac{x}{y} + \frac{y}{z} + \frac{z}{x}$.

The value of $|ab - c|$

is:

Space for rough work

6. Find the number of triples of real numbers (a, b, c) such that $a^{20} + b^{20} + c^{20} = a^{24} + b^{24} + c^{24} = 1$.
7. Determine the sum of all possible surface areas of a cube two of whose vertices are $(1, 2, 0)$ and $(3, 3, 2)$.
8. Let n be the smallest integer such that the sum of digits of n is divisible by 5 as well as the sum of digits of $(n + 1)$ is divisible by 5. What are the first two digits of n in the same order?
9. Consider the grid of points $X = \{(m, n) \mid 0 \leq m, n \leq 4\}$. We say a pair of points $\{(a, b), (c, d)\}$ in X is a knight-move pair if $(c = a \pm 2 \text{ and } d = b \pm 1)$ or $(c = a \pm 1 \text{ and } d = b \pm 2)$. The number of knight-move pairs in X is:

Space for rough work

10. Determine the number of positive integral values of p for which there exists a triangle with sides a , b , and c which satisfy

$$a^2 + (p^2 + 9)b^2 + 9c^2 - 6ab - 6pbc = 0.$$

11. The positive real numbers a , b , c satisfy:

$$\frac{a}{2b+1} + \frac{2b}{3c+1} + \frac{3c}{a+1} = 1$$

$$\frac{1}{a+1} + \frac{1}{2b+1} + \frac{1}{3c+1} = 2$$

What is the value of $\frac{1}{a} + \frac{1}{b} + \frac{1}{c}$?

$$a \quad b \quad c$$

12. Consider a square $ABCD$ of side length 16. Let E , F be points on CD such that $CE = EF = FD$.

Let the line BF and AE meet in M . The area of $\triangle MAB$ is:

Space for rough work

13. Three positive integers a, b, c with $a > c$ satisfy the following equations:

$$ac + b + c = bc + a + 66, \quad a + b + c = 32.$$

Find the value of

a .

14. Initially, there are 3^{80} particles at the origin $(0, 0)$. At each step the particles are moved to points above the x -axis as follows: if there are n particles at any point (x, y) , then $\frac{n}{3}$ of them are moved to $(x + 1, y + 1)$, $\frac{n}{3}$ are moved to $(x, y + 1)$ and the remaining $\frac{n}{3}$ to $(x - 1, y + 1)$. For example, after the first step, there are 3^{79} particles each at $(1, 1)$, $(0, 1)$ and $(-1, 1)$. After the second step, there are 3^{78} particles each at $(2, 2)$ and $(2, 1)$, $2 \cdot 3^{78}$ particles each at $(1, 2)$ and $(1, 1)$, and 3^{79} particles at $(0, 2)$. After 80 steps, the number of particles at $(79, 80)$ is:
15. Let X be the set consisting of twenty positive integers $n, n + 2, \dots, n + 38$. The smallest value of n for which any three numbers $a, b, c \in X$, not necessarily distinct, form the sides of an acute-angled triangle is:

Space for rough work

16. Let $f: \mathbf{R} \rightarrow \mathbf{R}$ be a function satisfying the relation $4f(3-x) + 3f(x) = x^2$ for any real x . Find the value of $f(27) - f(25)$ to the nearest integer. (Here \mathbf{R} denotes the set of real numbers.)
17. Consider an isosceles triangle ABC with sides $BC = 30$, $CA = AB = 20$. Let D be the foot of the perpendicular from A to BC , and let M be the midpoint of AD . Let PQ be a chord of the circumcircle of triangle ABC , such that M lies on PQ and PQ is parallel to BC . The length of PQ is:
18. Let p, q be two-digit numbers neither of which are divisible by 10. Let r be the four-digit number by putting the digits of p followed by the digits of q (in order). As p, q vary, a computer prints r on the screen if $\gcd(p, q) = 1$ and $p + q$ divides r . Suppose that the largest number that is printed by the computer is N . Determine the number formed by the last two digits of N (in the same order).

Space for rough work

19. Consider five points in the plane, with no three of them collinear. Every pair of points among them is joined by a line. In how many ways can we color these lines by red or blue, so that no three of the points form a triangle with lines of the same color.
20. On a natural number n you are allowed two operations: (1) multiply n by 2 or (2) subtract 3 from n . For example starting with 8 you can reach 13 as follows: $8 \rightarrow 16 \rightarrow 13$. You need two steps and you cannot do in less than two steps. Starting from 11, what is the least number of steps required to reach 121?
21. An integer n is such that $\frac{n}{9}$ is a three digit number with equal digits, and $\frac{n-172}{4}$ is a 4 digit number with the digits 2, 0, 2, 4 in some order. What is the remainder when n is divided by 100?
-

Space for rough work

22. In a triangle ABC , $\angle BAC = 90^\circ$. Let D be the point on BC such that $AB + BD = AC + CD$. Suppose $BD : DC = 2 : 1$. If $\frac{AC}{AB} = \frac{p}{n} m + 1$, where m, n are relatively prime positive integers and p is a prime number, determine the value of $m + n + p$.
23. Consider the fourteen numbers, $1^4, 2^4, \dots, 14^4$. The smallest natural number n such that they leave distinct remainders when divided by n is:
24. Consider the set F of all polynomials whose coefficients are in the set $\{0, 1\}$. Let $q(x) = x^3 + x + 1$. The number of polynomials $p(x)$ in F of degree 14 such that the product $p(x)q(x)$ is also in F is:

Space for rough work

25. A finite set M of positive integers consists of distinct perfect squares and the number 92. The average of the numbers in M is 85. If we remove 92 from M , the average drops to 84. If N^2 is the largest possible square in M , what is the value of N ?
26. The sum of $\lfloor x \rfloor$ for all real numbers x satisfying the equation $16 + 15x + 15x^2 = \lfloor x \rfloor^3$ is:
27. In a triangle ABC , a point P in the interior of ABC is such that

$$\angle BPC - \angle BAC = \angle CPA - \angle CBA = \angle APB - \angle ACB.$$

Suppose $\angle BAC = 30^\circ$ and $AP = \sqrt{12}$. Let D, E, F be the feet of perpendiculars from P on to BC, CA, AB respectively. If m, n is the area of the triangle DEF where m, n are integers with n prime, then what is the value of the product mn ?

Space for rough work

28. Find the largest positive integer $n < 30$ such that $\frac{1}{2}(n^8 \pm 3n^4 - 4)$ is not divisible by the square of any prime number.
29. Let $n = 2^{19}3^{12}$. Let M denote the number of positive divisors of n^2 which are less than n but would not divide n . What is the number formed by taking the last two digits of M (in the same order)?
30. Let ABC be a right-angled triangle with $\angle B = 90^\circ$. Let the length of the altitude BD be equal to 12. What is the minimum possible length of AC , given that AC and the perimeter of triangle ABC are integers?

Space for rough work

Answer Key

Problem Nos.(2 points)	Solution	Problem Nos.(3 points)	Solution	Problem Nos.(5 points)	Solution
1	11	11	12	21	91
2	12	12	96	22	34
3	25	13	19	23	31
4	70	14	80	24	50
5	01	15	92	25	22
6	06	16	08	26	33
7	99	17	25	27	27
8	49	18	13	28	20
9	48	19	12	29	28
10	05	20	10	30	25